

# STRONGLY DAMPED WAVE EQUATIONS ON $\mathbb{R}^3$ WITH CRITICAL NONLINEARITIES

MONICA CONTI, VITTORINO PATA, MARCO SQUASSINA

ABSTRACT. We prove the existence of a global attractor for a strongly damped semilinear wave equation in the whole space, with a quite general nonlinearity at critical growth and a nonlinear weak damping term, generalizing some previously known results.

DIPARTIMENTO DI MATEMATICA “F.BRIOSCHI”  
POLITECNICO DI MILANO  
VIA BONARDI 9, I-20133 MILANO, ITALY  
*E-mail address:* monica@mate.polimi.it  
*E-mail address:* pata@mate.polimi.it  
*E-mail address:* squassina@mate.polimi.it

---

2000 *Mathematics Subject Classification.* 35B40, 35L05, 58F12.

*Key words and phrases.* Strongly damped wave equations, bounded absorbing sets, Kuratowski measure of non-compactness, global attractors.

Research partially supported the Italian MIUR Research Projects *Metodi Variazionali ed Equazioni Differenziali Nonlineari*, *Problemi di Frontiera Libera nelle Scienze Applicate*, and *Metodi Variazionali e Topologici nello Studio dei Fenomeni Nonlineari*.